

POLAIR GROUP



COOL

SOVITAL

FEELS GOOD

CONTENTS

A BRAND-NEW FACTORY OF THE BEVERAGE REFRIGERATED CABINET MARKET



The story begins with the Sovitalprod mash factory, which has over 30 years of experience in manufacturing refrigeration equipment.



A brand-new factory: the entire production cycle is carried out at a state-of-the-art facility equipped with cutting-edge machinery.



The production meets the most stringent international standards and is export-ready.



High production capacity: over 100,000 units per year.

Evaporator configurations	4	370	10	1200	20
Glazing options	4	600	12	1500	22
EAZY product line	5	800	14	ENERGY product line	24
190	6	950	16	400	26
225	8	1100	18		

DISPLAY BOTTLE COOLER FOR
ENERGY DRINKS

PRODUCT LINE

ENERGY




EVAPORATOR CONFIGURATIONS

Indoor



Ideal for bars, restaurants, and stores. A quiet cross-flow fan and flat evaporator for comfortable operation.

Outdoor



Designed for summer terraces and street vendorstalls. The powerful copper-aluminum evaporator with an axial fan is resistant to temperature fluctuations.

GLAZING OPTIONS

FD



Frame Door — a classic framed door on an aluminum profile.

NFD



No Frame Door — a stylish frameless door for maximum product visibility.

SFD



Spherical Frame Door — a spherical glass panel designed for focal display.

EAZYZ PRODUCT LINE

+5% usable space

The largest product display capacity in its class

Sustainability R290 (propane)

The future of refrigerants

Quiet savings


Every kilowatt-hour of energy saved means more money staying in your business

EAZYZ





195



Volume 190 L



Configuration flexibility



Load capacity per shelf: up to 16 kg



Bright vertical LED lighting

- FD
- SFD
- INDOOR

EAZY 195 — your trusted partner in the battle for every sale!

It operates flawlessly both indoors and outdoors, thanks to the ability to select the desired evaporator configuration. The well-designed refrigeration system can handle temperatures up to +32 °C and humidity up to 60%—stability is guaranteed. The R290 (propane) refrigerant makes EAZY not only an energy-efficient but also an eco-friendly choice.

A durable aluminum door frame and metal handle designed for heavy-duty use. Thanks to its polymer-coated steel finish, EAZY is built to last.

Features

Volume, L	190
Max. load, 0.5 L cans	80
Facing (0.5 L cans per shelf), pcs	4
Dimensions (H×W×D), mm	2000×395×485
Floor space, m²	~0.19
Net weight, kg	72
Electricity consumption (kW/day)	2,3
Power consumption, W	230
Energy efficiency class	A+
Refrigerant	R290
Evaporator type	INDOOR – cross-flow fan and flat evaporator
Door type	Option: FD – framed door on aluminum profile; NFD – frameless door; SFD – door with spherical glazing.
Cabinet material	Painted galvanized steel
Shelf load, kg	16
Container capacity (20/40)	44/96
Euro truck capacity, pcs	108
Ambient temperature / humidity	+ 32°C/65%
Electronic control unit	Yes
Door closer	Yes
Replaceable glass unit	Yes
Individual electronic passport	Yes
Basic lock	Optional
Electromechanical lock	Optional
Price tag holders (6 pcs)	Optional
Tropical design (40°C/40%)	Optional



225



Volume 225 L



Configuration flexibility



Load capacity per shelf: up to 20 kg



Bright vertical LED lighting

- FD
- NFD
- SFD
- INDOOR

EAZY 225 is more than just a refrigerator — it’s a statement!

Ideal for high-traffic areas where both capacity and presentation matter.

It operates at temperatures up to +32°C while consuming minimal energy thanks to R290 refrigerant. A metal handle, door closer, and the option to reposition the door handle — these are standards that others can’t match.

Features

Volume, L	225
Max. load, 0.5 L cans	100
Facing (0.5 L cans per shelf), pcs	5
Dimensions (H×W×D), mm	2000×465×485
Floor space, m²	~0.23
Net weight, kg	78
Electricity consumption (kW/day)	2,53
Power consumption, W	230
Energy efficiency class	A+
Refrigerant	R290
Evaporator type	INDOOR – cross-flow fan and flat evaporator
Door type	Option: FD – framed door on aluminum profile; NFD – frameless door; SFD – door with spherical glazing.
Cabinet material	Painted galvanized steel
Shelf load, kg	20
Container capacity (20/40)	44/96
Euro truck capacity, pcs	108
Ambient temperature / humidity	+ 32°C/65%
Electronic control unit	Yes
Door closer	Yes
Replaceable glass unit	Yes
Individual electronic passport	Yes
Basic lock	Optional
Electromechanical lock	Optional
Price tag holders (6 pcs)	Optional
Tropical design (40°C/40%)	Optional



370



Volume 370 L



Configuration flexibility



Load capacity per shelf: up to 34 kg



Bright vertical LED lighting

- FD
- NFD
- SFD
- INDOOR

EAZY 370 — for those who think big!

With a 373-liter capacity, it becomes the centerpiece of any bar or store. Its powerful refrigeration system reliably maintains the temperature even on hot days.

An indoor evaporator, wire condenser, and R290 refrigerant—a formula for reliability and energy efficiency. Aluminum profiles and coated steel withstand the most intense loads.

Features

Volume, L	370
Max. load, 0.5 L cans	196
Facing (0.5 L cans per shelf), pcs	7
Dimensions (H×W×D), mm	2015×590×590
Floor space, m²	~0.35
Net weight, kg	90
Electricity consumption (kW/day)	2,9
Power consumption, W	300
Energy efficiency class	A+
Refrigerant	R290
Evaporator type	INDOOR — cross-flow fan and flat evaporator
Door type	Option: FD — framed door on aluminum profile; NFD — frameless door; SFD — door with spherical glazing.
Cabinet material	Painted galvanized steel
Shelf load, kg	34
Container capacity (20/40)	27/57
Euro truck capacity, pcs	86
Ambient temperature / humidity	+ 32°C/65%
Electronic control unit	Yes
Door closer	Yes
Replaceable glass unit	Yes
Individual electronic passport	Yes
Basic lock	Optional
Electromechanical lock	Optional
Price tag holders (6 pcs)	Optional
Tropical design (40°C/40%)	Optional



600



Volume 600 L



Configuration capacity



Load capacity per shelf: up to 50 kg



Bright vertical LED lighting

- FD
- NFD
- SFD
- INDOOR
- OUTDOOR

EAZY 600 — 625-liter refrigeration unit!

Designed for retail chains, bars, and supermarkets where every inch of space and every sale counts. It operates efficiently across a wide range of conditions. The unit’s recessed design and top-mounted condenser make maintenance easier.

Energy consumption is just 3.3 kWh/day—cost-effective for 24/7 operation!

Features

Volume, L	625
Max. load, 0.5 L cans	340
Facing (0.5 L cans per shelf), pcs	6
Dimensions (H×W×D), mm	2145×665×680
Floor space, m²	~0.45
Net weight, kg	123
Electricity consumption (kW/day)	3,3
Power consumption, W	360
Energy efficiency class	A+
Refrigerant	R290
Evaporator type	NDOOR – cross-flow fan and flat evaporator; OUTDOOR (upon request) - a powerful copper-aluminum evaporator with an axial fan.
Door type	Option: FD – framed door on aluminum profile; NFD – frameless door; SFD – door with spherical glazing.
Cabinet material	Painted galvanized steel
Shelf load, kg	50
Container capacity (20/40)	24/51
Euro truck capacity, pcs	57
Ambient temperature / humidity	+ 32°C/65%
Electronic control unit	Yes
Door closer	Yes
Replaceable glass unit	Yes
Individual electronic passport	Yes
Basic lock	Optional
Electromechanical lock	Optional
Price tag holders (6 pcs)	Optional
Tropical design (40°C/40%)	Optional



800



Volume 800 L



Configuration flexibility



Load capacity per shelf: up to 70 kg



Bright vertical LED lighting

FD

OUTDOOR

EAZY 800 — When You Need Maximum Performance

Its 800-liter capacity is a challenge to the competitors! A balanced system with a condenser in the unit compartment ensures stability under any load.

R290 refrigerant and an A+ energy efficiency rating help you save money. Its reinforced shelves (load capacity up to 71 kg!) and well-designed interior lighting make it not just functional, but a strategic asset.

Features

Volume, L	800
Max. load, 0.5 L cans	432
Facing (0.5 L cans per shelf), pcs	7
Dimensions (H×W×D), mm	2155×750×820
Floor space, m²	~0.62
Net weight, kg	165
Electricity consumption (kW/day)	4
Power consumption, W	470
Energy efficiency class	A+
Refrigerant	R290
Evaporator type	OUTDOOR (upon request) – copper-aluminum evaporator with an axial fan.
Door type	FD – framed door on aluminum profile.
Cabinet material	Painted galvanized steel
Shelf load, kg	70
Container capacity (20/40)	12/28
Euro truck capacity, pcs	45
Ambient temperature / humidity	+ 32°C/65%
Electronic control unit	Yes
Door closer	Yes
Replaceable glass unit	Yes
Individual electronic passport	Yes
Basic lock	Optional
Electromechanical lock	Optional
Price tag holders (6 pcs)	Optional
Tropical design (40°C/40%)	Optional



950



Volume 1014 L



Configuration flexibility



Load capacity per shelf: up to 78 kg



Bright vertical LED lighting

The EAZY 950 — the choice for those who like to think big

No half-measures: a powerful compressor, top-mounted unit for easy maintenance, and an electronic control unit with precise temperature control. Energy consumption is just 5.2 kWh/day—powerful and economical!

Features

Volume, L	1014
Max. load, 0.5 L cans	516
Facing (0.5 L cans per shelf), pcs	8
Dimensions (H×W×D), mm	2150×902×785
Floor space, m²	~0.71
Net weight, kg	180
Electricity consumption (kW/day)	5,3
Power consumption, W	540
Energy efficiency class	A+
Refrigerant	R290
Evaporator type	OUTDOOR (upon request) – copper-aluminum evaporator with an axial fan.
Door type	Option: FD – framed door on aluminum profile; SFD – door with spherical glazing.
Cabinet material	Painted galvanized steel
Shelf load, kg	78
Container capacity (20/40)	14/30
Euro truck capacity, pcs	42
Ambient temperature / humidity	+ 32°C/65%
Electronic control unit	Yes
Door closer	Yes
Replaceable glass unit	Yes
Individual electronic passport	Yes
Basic lock	Optional
Electromechanical lock	Optional
Price tag holders (6 pcs)	Optional
Tropical design (40°C/40%)	Optional


FD

SFD

OUTDOOR



1100



Volume 1100 L



Configuration flexibility



Load capacity per shelf: up to 43 kg



Bright vertical LED lighting

EAZY 1100 is a model that stands for efficiency.

It offers a 1,000-liter capacity in a compact design thanks to the bottom-mounted unit. The perfect solution for spaces where every centimeter counts.

With bright U-shaped lighting, a door closer, and electronic controls, it has everything you need for your comfort and sales growth. The eco-friendly R290 refrigerant – a contribution to preserving our green heritage.

Features

Volume, L	1165
Max. load, 0.5 L cans	534
Facing (0.5 L cans per shelf), pcs	10
Dimensions (H×W×D), mm	2150×1170×670
Floor space, m²	~0.78
Net weight, kg	205
Electricity consumption (kW/day)	7,2
Power consumption, W	780
Energy efficiency class	A+
Refrigerant	R290
Evaporator type	OUTDOOR (upon request) – copper-aluminum evaporator with an axial fan.
Door type	Option: FD – framed door on aluminum profile; SFD – door with spherical glazing.
Cabinet material	Painted galvanized steel
Shelf load, kg	43
Ambient temperature / humidity	+ 32°C/65%
Electronic control unit	Yes
Door closer	Yes
Replaceable glass unit	Yes
Individual electronic passport	Yes
Basic lock	Optional
Electromechanical lock	Optional
Price tag holders (6 pcs)	Optional
Tropical design (40°C/40%)	Optional

FD

SFD

OUTDOOR



1200



Volume 1210L



Configuration flexibility



Load capacity per shelf: up to 43 kg



Bright vertical LED lighting

FD

SFD

OUTDOOR

EAZY 1200 — for those who recognize no boundaries.

With a 1,100-liter capacity and a powerful cooling system, it's ready to operate 24/7. Maintains a stable temperature even at +32°C and high humidity.


Aluminum profile, reinforced shelves (43 kg), and the option to install an electromechanical lock—this is industrial-grade equipment with a premium design.

Features

Volume, L	1210
Max. load, 0.5 L cans	609
Facing (0.5 L cans per shelf), pcs	12
Dimensions (H×W×D), mm	2230×670×1170
Floor space, m ²	~0.78
Net weight, kg	215
Electricity consumption (kW/day)	7,3
Power consumption, W	750
Energy efficiency class	A+
Refrigerant	R290
Evaporator type	OUTDOOR (upon request) – copper-aluminum evaporator with an axial fan.
Door type	Option: FD – framed door on aluminum profile; SFD – door with spherical glazing.
Cabinet material	Painted galvanized steel
Shelf load, kg	43
Container capacity (20/40)	11/22
Euro truck capacity, pcs	26
Ambient temperature / humidity	+ 32°C/65%
Electronic control unit	Yes
Door closer	Yes
Replaceable glass unit	Yes
Individual electronic passport	Yes
Basic lock	Optional
Electromechanical lock	Optional
Price tag holders (6 pcs)	Optional
Tropical design (40°C/40%)	Optional



1500



Volume 1510 L



Configuration flexibility



Load capacity per shelf: up to 59 kg



Bright vertical LED lighting

FD

NFD

SFD

OUTDOOR

EAZY 1500 is the crown jewel of SOVITAL's engineering!

This flagship 1,400-liter model operates anywhere—indoors or outdoors. The powerful system handles heat and humidity without forming frost.

Durable galvanized steel, an aluminum door frame, and two glazing options deliver uncompromising quality and style. The shelves can hold up to 59 kg, and the smart lighting highlights every product.

Features

Volume, L	1510
Max. load, 0.5 L cans	765
Facing (0.5 L cans per shelf), pcs	14
Dimensions (H×W×D), mm	2155×1300×760
Floor space, m ²	~0.99
Net weight, kg	245
Electricity consumption (kW/day)	7,4
Power consumption, W	750
Energy efficiency class	A+
Refrigerant	R290
Evaporator type	OUTDOOR (upon request) – copper-aluminum evaporator with an axial fan.
Door type	Option: FD – door with a frame on an aluminum profile; NFD – frameless door; SFD – door with spherical glass.
Cabinet material	Painted galvanized steel
Shelf load, kg	59
Container capacity (20/40)	11/22
Euro truck capacity, pcs	26
Ambient temperature / humidity	+ 32°C/65%
Electronic control unit	Yes
Door closer	Yes
Replaceable glass unit	Yes
Individual electronic passport	Yes
Basic lock	Yes
Electromechanical lock	Optional
Price tag holders (6 pcs)	Optional
Tropical design (40°C/40%)	Optional

PRODUCT LINE

ENERGY



Energy efficiency

Roll-Bond evaporator and a steel forced-air fan. Cool air is distributed evenly without temperature fluctuations. Energy drink cans are always kept at the right temperature, even in the most densely packed displays. ENERGY guarantees consistent temperatures on all shelves and energy savings.

Unique style

A sleek black cabinet design with maximum product visibility—up to five cans per row compared to similar models. LED lighting along the door perimeter and on the back panel illuminates the shelves and products from all angles.

Quickly adapt the display to promotions, relaunches, and product line changes—the display always looks fresh, as the lighting can be adjusted to match any brand color or promotional campaign.

Flexible operation

The controller unit with switches is located on the front panel, allowing you to change the backlight color, control the lighting, and monitor the temperature without partial unloading. The evaporator fan shut-off button is also located on the outside of the unit, which reduces cold loss and noise levels when the fan needs to be turned off since there is no need to open the door.

GLAZING OPTIONS

FD



Frame Door—Classic with a frame, on an aluminum profile.

NFD



No Frame Door—a stylish frameless door that provides a clear view of the display.



400



Volume 400 L



Configuration flexibility



Roll-Bond: consistent cooling



Eye-catching LED lighting along the outer edge of the door



Effortless front-panel control

ROLL-BOND

FD

NFD

ENERGY 400 embodies sleek design and cutting-edge technology

The perfect solution for bars, coffee shops, and restaurants where product presentation is important. The frameless door offers a panoramic view of the display and makes the merchandise the central focus of the interior.

Vertical LED lighting along the perimeter of the door and the back panel allows you to change the color and highlight products, promotions, and the brand from anywhere in the sales floor.


Technical support

With over 100 service centers across Russia, repairs are guaranteed in the shortest possible time.

Features

Volume, L	380
Max. load, 0.5 L cans	35
Facing (0.5 L cans per shelf), pcs	5
Dimensions (H×W×D), mm	2140×464×660
Floor space, m²	0.30
Net weight, kg	85
Electricity consumption (kW/day)	3.1
Power consumption, W	280
Energy efficiency class	A+
Refrigerant	R-290
Evaporator type	Roll-bond evaporator, condenser with a steel forced-air fan
Door type	Frameless
Cabinet material	Painted galvanized steel
Shelf load capacity, kg	Up to 50 kg
Electronic control unit	Yes
Door closer	Yes
Replaceable glass unit	Yes
Individual electronic passport	Yes
Basic lock	Optional
Electromechanical lock	Optional
Price tag holders (6 pcs)	Optional
Container capacity (20/40)	32/68
Euro truck capacity, pcs	95

SOVITAL



sovital.ru

**Sales
department**
+7 910 442 44 53
medinets@polair.com

Manufacturing
+7 (8362) 23-25-06
office-sovital@polair.com

**Nizhnekamsk,
11 Industrialnaya St**

Taxpayer Identification
Number (INN) 1651097675

423556, Republic of Tatarstan,
Nizhnekamsk municipal district,
city of Nizhnekamsk